## Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

- (Previously Presented) A cerium-zirconium composite metal oxide, wherein a
  total mole number of Ce and Zr is at least 85% based on the total mole number of metal in the
  composite metal oxide, wherein a molar ratio Ce/Zr is within a range from 1/9 to 9/1, and
  wherein an isoelectric point of the composite metal oxide is more than 3.5.
- (Original) The cerium-zirconium composite metal oxide according to claim 1, wherein the molar ratio Ce/Zr is within a range from 3/7 to 7/3 and the isoelectric point is within a range from 3.8 to 5.0.
- 3. (Previously Presented) The cerium-zirconium composite metal oxide according to claim 1, which contains rare earth metal (excluding Ce) in a concentration of less than 15% by mole based on the total mole number of metal in the composite metal oxide.
- 4. (Currently Amended) A cerium-zirconium composite metal oxide, wherein a total mole number of Ce and Zr is at least 85% based on the total mole number of metal in the composite metal oxide and wherein CeO<sub>2</sub> forms a core surrounded by ZrO<sub>2</sub>, and wherein an isoelectric point of the composite metal oxide is more than 3.5.
- (Original) The cerium-zirconium composite metal oxide according to claim 4,
   wherein the CeO<sub>2</sub> core has a diameter within a range from 5 to 20 nm.
- (Previously Presented) An exhaust gas purifying catalyst comprising the cerium-zirconium composite metal oxide of Claim 1 and a noble metal supported on the cerium-zirconium composite metal oxide.
- (Previously Presented) A method for synthesizing the cerium-zirconium composite metal oxide of claim 1, which comprises mixing a ceria sol and a zirconium

compound solution or a zirconia sol to prepare a suspension, and drying and firing the mixture.

- 8. (Previously Presented) The cerium-zirconium composite metal oxide according to claim 2, which contains rare earth metal (excluding Ce) in a concentration of less than 15% by mole based on the total mole number of metal in the composite metal oxide.
- (Previously Presented) An exhaust gas purifying catalyst comprising the cerium-zirconium composite metal oxide of claim 2 and a noble metal supported on the cerium-zirconium composite metal oxide.
- 10. (Previously Presented) An exhaust gas purifying catalyst comprising the cerium-zirconium composite metal oxide of claim 3 and a noble metal supported on the cerium-zirconium composite metal oxide.
- (Previously Presented) An exhaust gas purifying catalyst comprising the cerium-zirconium composite metal oxide of claim 4 and a noble metal supported on the cerium-zirconium composite metal oxide.
- 12. (Previously Presented) An exhaust gas purifying catalyst comprising the cerium-zirconium composite metal oxide of claim 5 and a noble metal supported on the cerium-zirconium composite metal oxide.
- 13. (Previously Presented) A method for synthesizing the cerium-zirconium composite metal oxide of claim 2, which comprises mixing a ceria sol and a zirconium compound solution or a zirconia sol to prepare a suspension, and drying and firing the mixture.
- 14. (Previously Presented) A method for synthesizing the cerium-zirconium composite metal oxide of claim 3, which comprises mixing a ceria sol and a zirconium compound solution or a zirconia sol to prepare a suspension, and drying and firing the mixture.

15. (Previously Presented) A method for synthesizing the cerium-zirconium composite metal oxide of claim 4, which comprises mixing a ceria sol and a zirconium compound solution or a zirconia sol to prepare a suspension, and drying and firing the mixture.